

Fig. 1




Fig. 2

SEARCH

MANAGE FACILITIES

MANAGE PERSONNEL

Current Signs for Consolidated Materials

[illegible]

310

Fig. 3

400

VIEW DATABASE	FACILITIES REPORTING	MANAGE PERSONNEL	SEARCH
---------------	----------------------	------------------	--------

Laboratory Name Room Number Building

Emergency Contact #1

Emergency Contact #2

Emergency Contact #3

Security # Fire/Paramedic # EH&S #

PRIMARY HAZARDS

Radiation ☐ Biohazard ☐ Biohazard Level

SECONDARY HAZARDS

Biohazard <input type="checkbox"/>	Cancer Hazard <input type="checkbox"/>	Flammable Liquid <input type="checkbox"/>	Laser <input type="checkbox"/>
Biohazard Level <input style="width: 50px;" type="text"/>	Flammable Solid <input type="checkbox"/>	Flammable Gas <input type="checkbox"/>	Corrosive <input type="checkbox"/>
Radiation <input type="checkbox"/>	Oxidizer <input type="checkbox"/>	Non-Flammable Gas <input type="checkbox"/>	OTHER <input style="width: 100px;" type="text"/>

NFPA DIAMOND

HEALTH <input style="width: 50px;" type="text"/>	FIRE <input style="width: 50px;" type="text"/>	REACTIVITY <input style="width: 50px;" type="text"/>	SPECIAL <input style="width: 50px;" type="text"/>
--	--	--	---

GENERAL WARNINGS

No Food/No Drink <input type="checkbox"/>	Wear Safety Glasses <input type="checkbox"/>	Wear Hairnet <input type="checkbox"/>	Wear Booties <input type="checkbox"/>
Wear Gloves <input type="checkbox"/>	Wear Lab Coat <input type="checkbox"/>	Beard/Mustache Cover <input type="checkbox"/>	Other <input style="width: 100px;" type="text"/>

CLIPBOARD

VIEW SIGN	SAVE SIGN	SAVE AND PRINT
-----------	-----------	----------------

Fig. 4

500

504

NO FOOD

NO DRINK

WEAR GLOVES

WEAR GOGGLES

WEAR LAB COAT

COMPARATIVE GENOMICS

508

3

510

1

OX

BIOHAZARD

BSL 2

NON-FLAMMABLE GAS

FLAMMABLE LIQUID

CORROSIVE

506

COX 508

1210

CONTACT PERSONNEL

NAME DR. FRYBURN

PHONE 402-0697

NAME MARTIN SIMON

PHONE 402-1768

NAME

PHONE

EMERGENCY CONTACTS

EHSC 615 - 7915

FIRE PROTECTION 615 - 2568

PUBLIC SAFETY 615 - 3333

NC STATE UNIVERSITY

512

514

SAVE SIGN

PRINT SIGN

RETURN TO LIST

516

518

520

Lab Hazard SignTM Copyright 1998 Graphics Lab For information call 800-843-6433 or visit www.graphicslabdesigns.com

Fig. 5

600



SIGN DATABASE	MANAGE PERSONNEL	MANAGE FACILITIES	SEARCH
----------------------	-------------------------	--------------------------	---------------

SEARCH FORM	
Search By:	Search For:
<div>Personnel Building Lab Name Room Number Personnel Hazard Warning</div>	90

Fig. 6

700



SIGN DATABASE

FACILITIES REPORT

SEARCH

MANAGE FACILITIES

MANAGE PERSONNEL

MANAGE EMERGENCY PERSONNEL

NAME	Office Telephone Number	Home/Cel Telephone Number
Dr. Fryburn	3455	404-855-8777
Ellen Fitzpatrick	4555	455-356-3666
Ellen Kay	8766	404-788-4322
Gary Bornea	402-0797	402-0737
John Yee	402-1779	402-1779
Jonah Piethric	8655	404-465-4322
Marilyn Chu	4711	404-788-5656
Martin Simon	6982	404-211-4322

Add Profile

Edit Profile

Delete Profile

Finish

Dr. Fryburn

Dr. Fryburn

Dr. Fryburn

Martin Simon

John Yee

Ellen Kay

Jonah Piethric

Ellen Fitzpatrick

Marilyn Chu

Gary Bornea

Fig. 7

800 →

SIGN DATABASE

FACILITIES REPORT

SEARCH

MANAGE FACILITIES

MANAGE PERSONNEL

Facilities Editor

Consolidated Materials - All Rooms

Building	Security Phone	EHS Phone	Fire Phone	Address
Headquarters	404-873-9857	312-755-4716	911	245 Church Drive Glen Valley, NC 43882
Building 19	404-873-2777	312-755-4716	911	45 Campus Drive Glen Valley, NC
Cox	543-209-3213	987-987-6657	911	22 Neatsfoot Lane Glen Valley, NC 43882

Update

Cancel

Fig. 8

900



SIGN DATABASE	FACILITIES REPORT	SEARCH	MANAGE FACILITIES	MANAGE PERSONNEL
Generate Facilities Report				
Choose Building: <input type="text" value="Cox"/>	Choose Format: <input type="text" value="Building Summary"/>	Choose Recipient: <input type="text" value="Glen Valley Fire Dept"/>	<input type="button" value="GO"/>	
<input type="button" value="Building Summary"/> <input type="button" value="Full Report"/>				

Fig. 9